

RENZMANN washing machines for ink pans, doctor blades, cylinders, anilox rollers, anilox sleeves and other printing press parts

Your data

Company:	<input type="text"/>
Industry:	<input type="text"/>
Contact person:	<input type="text"/>
Street:	<input type="text"/>
ZIP code, City:	<input type="text"/>
Phone:	<input type="text"/>
Fax:	<input type="text"/>
E-mail:	<input type="text"/>

I. General

Print technology

- | | |
|----------------------------------|---------------------------------|
| <input type="checkbox"/> Gravure | <input type="checkbox"/> Offset |
| <input type="checkbox"/> Flexo | <input type="checkbox"/> others |

Print products

- | | |
|---|----------------------------------|
| <input type="checkbox"/> Magazines/catalogues | <input type="checkbox"/> Textile |
| <input type="checkbox"/> Packaging/paper/film/aluminium | <input type="checkbox"/> Coating |
| <input type="checkbox"/> Wallpaper | <input type="checkbox"/> other |

Number of print units

- | | | | | | | |
|----------|----------------------|------------------------------|----------------------|-------|----------------------|----|
| Gravure: | <input type="text"/> | pcs with printing width from | <input type="text"/> | mm to | <input type="text"/> | mm |
| Flexo: | <input type="text"/> | pcs with printing width from | <input type="text"/> | mm to | <input type="text"/> | mm |
| Offset: | <input type="text"/> | pcs with printing width from | <input type="text"/> | mm to | <input type="text"/> | mm |
| others: | <input type="text"/> | pcs with printing width from | <input type="text"/> | mm to | <input type="text"/> | mm |

2. Operating time per day

The presses are in operation for shifts/day.

The washing machine should be in operation for shifts/day.

3. Quantity of items to be washed (ink pans, ink pump container, cylinders, etc.)

How many job changes per day?

Number of cylinders/rollers/sleeves to be washed?

Calculate the area in m², which would be covered by all parts that have to be washed within an 8 hours period. This gives a measure of the quantity of items to be washed.

Items to be washed within 8 hours in m²:

4. Dimensions of items to be washed

Largest ink pan (LxWxH):

Number of this ink pan within 8 hours:

Largest ink pump container (LxWxH):

Number of this ink pump container within 8 hours:

5. Dimensions of cylinders/anilox rollers/anilox sleeves

Total length including shafts: mm

Max. diameter: mm

Total number of cylinders/anilox rollers/anilox sleeves within 8 hours:

Surface material:

ceramic

copper

chromium

others

steel

Number of lines of anilox rollers/anilox sleeves:

6. Washing process at present

With solvent

other media, if yes: which one?

caustic

by hand

by washing machine

Why is this process no longer satisfactory?

7. Details regarding wash medium

Which wash medium should be used in future?

Do you have experience with it?

 yes no

Do you like suggestions?

 yes no

8. Exhaust

Is an exhaust air treatment system (ATS) available to connect the washing machine to?

 yes no

Which kind of ATS?

<input type="checkbox"/> thermal	<input type="checkbox"/> active carbon
<input type="checkbox"/> catalytic	<input type="checkbox"/> bioreactor
<input type="checkbox"/> regenerative	<input type="checkbox"/> other

What is the available exhaust air volume if washing machine should be connected? m³/h

What is the suction pressure of the on site exhaust system? mm/WS

Is there an on site exhaust duct to the ATS? yes no

Nominal diameter: mm

Where is the position of the duct/connecting point in the washing room?

Distance between connecting point and entry of the ATS/roof: abt. m

Max. permissible solvent concentration of the exhaust air fed to the ATS: g/m³ or % LEL

Does the wash area already have a forced room ventilator? yes no

How many air changes per hour?

9. Electrical equipment

Voltage: Volt

Frequency: Hz

Phases/neutral:

Type of protection:

Installation of switch cabinet: outside inside

Distance switch cabinet to unit: m

Ambient temperature: °C

Special climatic conditions:

10. Compressed air

Pressure: bar

Water drainage existing: yes no

Oiled: yes no

Existing capacity: Nm³/h

11. Heating energies

Steam: bar

Thermal oil:

Pressure run: bar

Pressure return: bar

Temperature: °C

12. Cooling

Cooling water on site: yes no

Max. cooling water temperature (run): °C

Max. pressure: bar

On site cooling water circuit existing: yes no

Cooling water circuit requested: yes no

13. Details to control interface

Control interface:

Exhaust treatment yes no

Fire detection yes no

CO₂ extinguishing unit yes no

On site solvent supply yes no

Existing units yes no

14. Installation of the machine

New building Existing room Not yet decided

Building/room drawing or sketches available? (see enclosure) yes no

Room dimensions (LxWxH)

Are there already units installed in that room? yes no

Are lifting devices (cranes), fixing points at ceiling existing? yes no

15. Protection of soil and ground water

Is a bunded floor available in the room? yes no

What is the volume retained by that bunding? litres

Should separate collecting pans be provided? yes no

Collecting pans existing on site to be offered